

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/939,813	08/27/2001	Rebecca L. Poole	STL920000084US1	2901
22462	7590	08/02/2004	EXAMINER	
GATES & COOPER LLP HOWARD HUGHES CENTER 6701 CENTER DRIVE WEST, SUITE 1050 LOS ANGELES, CA 90045			STEELMAN, MARY J	
			ART UNIT	PAPER NUMBER
			2122	

DATE MAILED: 08/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/939,813	POOLE ET AL.	
	Examiner	Art Unit	
	Mary J. Steelman	2122	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM
 THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 8/27/01.12/12/01.
 2a) This action is **FINAL**. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-24 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) _____ is/are allowed.
 6) Claim(s) 1-24 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____.
3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>12/18/2001</u> .	5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
	6) <input type="checkbox"/> Other: _____.

DETAILED ACTION

1. Claims 1-24 are pending.

Information Disclosure Statement

2. IDS received 18 December 2001 has been considered.

Specification

3. Applicant is requested to fill in the application serial number, page 1, line 5.

Claim Rejections - 35 USC § 102

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

2 Mar

4. Claims 1-24 are rejected under 35 U.S.C. 102(a) as being unpatentable over US Patent 6,208,345 B1 to Sheard et al.

Per claims 1, 9, and 17:

-system, method, article of manufacture;

(Col. 3, lines 12-13, "...visual data integration system architecture and methodology", col. 49, line 1-col. 50, line 17, "A computer readable medium tangibly embodying a program executable...(article of manufacture)".)

Art Unit: 2122

-an Integrated Development Environment (IDE), executed by a computer, for creating and maintaining a multi-tier business application on a multiple tier computer network, wherein the IDE includes a Topological Multi-Tier Business application Composer that is used by a developer to graphically design, develop, maintain, build, test, debug, and deploy the multi-tier business application, the Composer includes a window and a palette, and the palette contains graphical constructs representing tiers and components of the tiers that are used to design, develop, maintain, build, test, debug, and deploy a graphical presentation of the multi-tier business application in the window.

(Col. 3, lines 16- 18, “A visual interface facilitates the design, deployment, and runtime monitoring of an integrated information system (IDE) implementation.”, col. 3, lines 24-26, “Various component icons may be packaged together in business extension modules (multi-tier business application) to provide users with specific business integration capabilities”, col. 6, lines 11-13, “...facilitate the design, deployment, and runtime monitoring (Composer to graphically design, develop, maintain, build, test, debug, and deploy) of an integrated information system comprising a number of disparate applications”, col. 23, lines 10-14, “...user design a data integration layout when the System Integration view is active by selecting various adapters and components displayed in the palette of the visual interface. This is achieved by dragging selected adapters (icons) from the palette and dropping them onto the canvas (window)...”, col. 24, lines 55-67, “...a presentation of a menu item which permits the user to invoke a distribution planning panel...provides a tree view of the network environment (Topological Multi-Tier Business application Composer) currently in operation for a selected data integration project...indicate the names of the workstations...indicates the various

Art Unit: 2122

components operating on a particular workstation...indicates details of either component of queue elements...”)

Per claims 2, 10, and 18:

-the icons are dragged from the palette onto the window, and thereafter connected together, in a topological structure for the multi-tier business application.

(Col. 23, lines 10-15, “...selecting various adapters and components (icons) displayed in the palette...dragging...and dropping them onto the canvas (window)...”, col. 23, lines 22-23, “...selected adapters/components may be linked (connected) together...”)

Per claims 3, 11, and 19:

-the components are selected from a group comprising workstations, servers, application files, connections, data paths, user-defined processes, and other user-defined elements.

(Col. 24, lines 55-67, “...distribution planning panel...provides a tree view of the network environment currently in operation for a selected data integration project...workstations...”, col. 28, line 66-col. 29, line 4, “For each workstation participating in a data integration project...”, col. 29, line 19, “...communication may be effected through use of a sockets type protocol” Sheard disclosed a network environment, including servers, workstations, application files (Fig. 1), connections (sockets), data paths (Fig. 5B), user-defined elements / processes (Fig. 20))

Per claims 4, 12, and 20:

-the composer is used to perform one or more actions selected from a group comprising:

Art Unit: 2122

(Col. 22, lines 3-5, "The information n the project file is used by the visual interface to render a picture of a data integration implementation (actions) on its canvas", col. 22, lines 60-62, "...layout of a data integration project is defined within the canvas of the visual interface...")

-creating the tiers involved in the multi-tier business application;

(Col. 24, line 51-col. 25, line16, "The integration of data across multiple platforms and multiple workstations is coordinated through the use of a distribution planning facility...distribution planning panel...provides a tree view of the network environment...workstations...components...")

-specifying the components of each of the tiers;

(Col. 23, lines 10-13, "...the user designs a data integration layout when the System Integration view is active by selecting various adapters and components (specifying the components of the tiers) displayed in the palette...")

-specifying properties that identify each of the tiers and the components of the tiers.

(Col. 25, lines 17-22, "The right portion of the distribution planning panel includes a property sheet which is used to show the data associated with a selected item...property sheet presents configuration data...")

Per claims 5, 13, and 21:

-the IDE further comprises a Meta-model that captures information entered via the Composer and that persistently stores the information.

(Col. 23, lines 41-45, “Confirming the integrity of the communication channel established between two adapters is accomplished by comparing the meta-data models of the source and destination adapters and determining whether the models are compatible...”, col. 29, lines 32-36, “...meta-model approach is used to provide a system wide specification of object and contained attribute definitions...”, col. 29, lines 51-61, “Storage of the meta-model...using a file based approach...Each object definition is contained in a separate file ...Each meta defined class is stored...”)

Per claims 6, 14, and 22:

-the captured information is selected from a group comprising information about tiers, workstations, servers, application files, connections, data paths, user-defined processes, and other user-defined elements.

(Col. 3, lines 34-43, “Format neutral data meta-models are employed to model the input and output data requirements (captured information) of disparate systems and system components...”, col. 6, lines 27-32, “These component building blocks are graphical representations of various data processing and telecommunications hardware and software elements (tiers, workstations, servers, application files, connections, data paths, user-defined processes, and other user-defined elements) ...”)

Per claims 7, 15, and 23:

Art Unit: 2122

-the Meta-model is updated and kept in synchronization with any updates made to the multi-tier business application via the Composer.

(Col. 23, lines 47-51, "...meta-data model which indicates the data that the adapter is expecting to receive and dispatch...", col. 24, line 19, "...meta-data model issues have been resolved...(updated)", col. 25, lines 44-45, "...updating the charts dynamically...")

Per claims 8, 16, and 24:

-the Meta-model is accessible by other tools.

(Col. 23, lines 41-45, "Confirming the integrity of the communication channel established between two adapters is accomplished by comparing the meta-data models of the source and destination adapters and determining whether the models are compatible (tool compares and determines)...", col. 31, lines 13-36, "Various meta-model conversion utilities (tools) may be implemented ...")

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Steelman, whose telephone number is (703) 305-4564. The examiner can normally be reached Monday through Thursday, from 7:00 A.M. to 5:30 P.M. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Dam can be reached on (703) 305-4552.

Art Unit: 2122

The fax phone number is 703-872-9306 for regular communications and for After Final communications. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Mary Steelman



07/21/2004



**ANTONY NGUYEN-BA
PRIMARY EXAMINER**